



## Always ready for any mission.

The long range high speed SAR helicopter with proven high readiness even in the harshest conditions. Rapid takeoff in less than 5 minutes.













## The long range crew change solution.

The H225 provides you with unrivalled flight envelope protection covering, amongst others, Control Flight Into Terrain and Vortex Ring.

Piloting assistance includes automatic traffic collision avoidance, automatic rig approach up to the visual decision point as well as RNP\* approach down to LPV\*\* minima.

To increase the safety and efficiency in offshore operations through an optimum use of automation, Airbus issued a H225 Flight Crew Operating Manual (FCOM) developed with operators.

No need for internal fuel tank even for extended range.



<sup>\*\*</sup> LPV: Localizer Performance with Vertical Guidance









The only one class-C certified for hook operation (e.g. used for cable laying).

Benefiting of the unrivalled autopilot assistance and precision.

In addition to:

High load capability of up to 4,750kg external or 4,000kg internal.

Quick role change and multirole capabilities.





## **Always ready** for any mission.



28 Troop seats



10 + 1 VIP configuration



6 Stretchers

**2**Medical walls

>600<sub>NM</sub> Max. range



2,044<sub>kg</sub> Std. fuel tank capacity

3,142kg With aux. fuel tank



146<sub>kts</sub> Fast cruise speed



**11,160kg** MTOW

11,200kg MTOW with ext. load



**20,000**ft Max. altitude



**4,750**kg Ext. load

**4,000**kg Int. load



19<sub>рах</sub> @ 210<sub>NM</sub>



